

Product	Boxes for flush type accessories
Applicant	ELKO AS Sandstuveien 68 0680 Oslo Norway
Manufacturer	ELKO AS Sandstuveien 68 0680 Oslo Norway
Factory	SP Moulding Poland Sp. z o. o. Mickiewicza 6 98-200 Sieradz Poland
Ratings	60mm fixing distance
Trade mark	ELKO
Model / Type Ref.	L677
Principal characteristics	Junction box. Catalogue ID S45/6: White thermoplastic box, halogen free for one flush mounted accessory, with 2 conduit entries for $\varnothing=16\text{mm}$ plain or corrugated conduits. 60mm fixing distance. Adjustable fixing ring $\pm 3\text{mm}$ to $+9\text{mm}$, 45mm inside depth.
A sample of the product was tested and found to be in conformity with	INST EN 60670-1:2005;A1
Replaces	This certificate replaces previous certificate No. P18222984, due to change of factory.
Validity	This certificate documents conformity with the standards shown, and also applies as license for use of Nemkos name and certification mark. The certificate and license is valid as long as the applicable conditions are complied with, and provided that any changes to the product are notified to Nemko for acceptance prior to implementation. New standards or amendments to the standards may imply that the product design must be updated and/or that re-testing and re-certification is necessary.
Additional information	
Additional model(s)	(9) See page 2

Date of issue 12-04-2021

Jiyea Gim

Jiyea Gim
Certification Department

Nemko AS

Philip Pedersens vei 11, 1366 Lysaker, Norway
TEL +47 22 96 03 30 EMAIL info@nemko.com
ENTERPRISE NUMBER NO974404532

Additional model(s)

Product	Boxes for flush type accessories
Pos. No	1
Model / Type Ref.	L665
Trade mark (if different from page 1)	
Rating	60mm fixing distance
Principal characteristics	Junction box. Catalogue ID 45/6: White thermoplastic box, halogen free, for two flush mounted accessories, with 2 conduit entries for Ø=16mm plain or corrugated conduits. 60mm fixing distance. 45mm inside depth.
Product	Boxes for flush type accessories
Pos. No	2
Model / Type Ref.	L680
Trade mark (if different from page 1)	
Rating	60mm fixing distance
Principal characteristics	Junction box. Catalogue ID 60/6: White thermoplastic box, halogen free, for two flush mounted accessories, with 2 conduit entries for Ø=16mm plain or corrugated conduits. 60mm fixing distance. 60mm inside depth.
Product	Boxes for flush type accessories
Pos. No	3
Model / Type Ref.	L779
Trade mark (if different from page 1)	
Rating	60mm fixing distance
Principal characteristics	Junction box. Catalogue ID S45/22: White thermoplastic box, halogen free, for one flush mounted accessory, with 3 conduit entries for Ø=16mm plain or corrugated conduits. 60mm fixing distance. Adjustable fixing ring +3mm to +9mm, 45mm inside depth.
Product	Boxes for flush type accessories
Pos. No	4
Model / Type Ref.	L661
Trade mark (if different from page 1)	
Rating	60mm fixing distance
Principal characteristics	Junction box. Catalogue ID S45/100: White thermoplastic box, halogen free, for one flush mounted accessory, with 6 conduit entries for Ø=16mm plain or corrugated conduits. 60mm fixing distance. Adjustable fixing ring +3mm to +9mm, 45mm inside depth.

Date of issue 12-04-2021

Jiyea Gim

Jiyea Gim

Certification Department

Nemko AS

Philip Pedersens vei 11, 1366 Lysaker, Norway

TEL +47 22 96 03 30 EMAIL info@nemko.com

ENTERPRISE NUMBER NO974404532

Product	Boxes for flush type accessories
Pos. No	5
Model / Type Ref.	L678
Trade mark (if different from page 1)	
Rating	60mm fixing distance
Principal characteristics	Junction box. Catalogue ID S60/6: White thermoplastic box, halogen free, for one flush mounted accessory, with 2 conduit entries for Ø=16mm plain or corrugated conduits. 60mm fixing distance. Adjustable fixing ring ±3mm to +9mm, 60mm inside depth.
Product	Boxes for flush type accessories
Pos. No	6
Model / Type Ref.	L780
Trade mark (if different from page 1)	
Rating	60mm fixing distance
Principal characteristics	Junction box. Catalogue ID S60/22: White thermoplastic box, halogen free, for one flush mounted accessory, with 3 conduit entries for Ø=16mm plain or corrugated conduits. 60mm fixing distance. Adjustable fixing ring ±3mm to +9mm, 60mm inside depth.
Product	Boxes for flush type accessories
Pos. No	7
Model / Type Ref.	L666
Trade mark (if different from page 1)	
Rating	60mm fixing distance
Principal characteristics	Junction box. Catalogue ID S60/100: White thermoplastic box, halogen free, for one flush mounted accessory, with 6 conduit entries for Ø=16mm plain or corrugated conduits. 60mm fixing distance. Adjustable fixing ring ±3mm to +9mm, 60mm inside depth.
Product	Boxes for flush type accessories
Pos. No	8
Model / Type Ref.	L3585
Trade mark (if different from page 1)	
Rating	60mm fixing distance
Principal characteristics	Junction box. Catalogue ID 34/100: White thermoplastic box, halogen free, for one flush mounted accessory, with 6 conduit entries for Ø=16mm plain or corrugated conduits. 60mm fixing distance. Adjustable fixing ring, 34mm inside depth.

Date of issue 12-04-2021

Jiyea Gim

Jiyea Gim

Certification Department

Nemko AS

Philip Pedersens vei 11, 1366 Lysaker, Norway

TEL +47 22 96 03 30 EMAIL info@nemko.com

ENTERPRISE NUMBER NO974404532

Product	Boxes for flush type accessories
Pos. No	9
Model / Type Ref.	L447
Trade mark (if different from page 1)	
Rating	60mm fixing distance
Principal characteristics	Junction box. Catalogue ID 57/100/15: White thermoplastic box, halogen free, for one flush low mounted accessory, with 6 conduit entries for Ø=16mm plain or corrugated conduits. 60mm fixing distance. 57mm inside depth.

Date of issue 12-04-2021

Jiyea Gim

Jiyea Gim

Certification Department

Nemko AS

Philip Pedersens vei 11, 1366 Lysaker, Norway

TEL +47 22 96 03 30 EMAIL info@nemko.com

ENTERPRISE NUMBER NO974404532