

Product End of Life Instructions


RS USB PD A+C charger 45W, pure white

as referent product for:

all ELKO USB chargers with power output above 45W



End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1	Electronic Board (Communication) > 10cm ²	30,6	

Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	ELKO
Product function	RS USB PD A+C charger 45W pure white is a socket that give a solution for charging IT devices through USB ports.This USB charger is OVCIII with service lifetime target 10 years. The stand by consumption is 0.08W and total output power of the USB charge is 52.5W .
Product reference	EKO30196+EKO07370
Additional similar product references	EKO07232 - EKO07233 - EKO07237 - EKO30196 - EKO07370 - EKO09140 - EKO03789
Total representative product mass	124 g
Representative product dimensions	84mm x 84mm x 75mm
Accessories	0
Date of information release	07/2023

Additional information

Legal information	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.	
In case of special transportation: transportation method	0	
Recyclability potential	27%	Recyclability rate has been calculated based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the "ECO'DEEEE recyclability and recoverability calculation method" was taken. If no data was found a conservative assumption was used (0% recyclability).

Schneider Electric Industries SAS
35 rue Joseph Monier
FR-92500 Rueil Malmaison

elko.no/contact

ENVEOLI2304011_V1

Published by Schneider Electric Industries SAS

©2023 - Schneider Electric Industries SAS – All rights reserved

07/2023