CERTIFICATE

P26229364

Applicant	Schneider Electric Industries SAS 1884 Boulevard de la Défense 92000 Nanterre France
Manufacturer	Schneider Electric Industries SAS 1884 Boulevard de la Défense 92000 Nanterre France
Factory	See next pages
Project Number	PRJ0104736
Product	Switches for fixed installation
Model/Type Ref.	14001, Model RS16/1 I
Ratings	16-10X 250V AC
Brandname / Trademark	ELKO
Principal Characteristics	flush type, pattern No. 1, thermoplastic, screw terminals, with or without claw fixing, with or without pilot lamp, IP20, IP21 for ONE design, IP44 when single or double IP44 set is used, RS or PLUS or ONE design, all colours
A sample of the product was tested and found to be in conformity with	Safety EN 60669-1:2018
Validity	*This certificate documents conformity with the standards shown, and also applies as license for use of Nemko's name and certification mark. The certificate and license is valid as long as the applicable conditions are complied with, and provided that any changes to the product are notified to Nemko for acceptance prior to implementation.* *New standards or amendments to the standards may imply that the product design must be updated and/or that re-testing and re-certification is necessary.*
Additional Information	
Additional model(s)	See next pages

Signature

Yasaman Vadoudi

Certification department

Date of Issue

2026-09-24

Working for a more sustainable future
Please do not print

Nemko Group AS
Philip Pedersens vei 11
1366 Lysaker, Norway
TEL +47 22 96 03 30
info@nemko.com
ENTERPRISE NUMBER
NO974404532

www.nemko.com

CERTIFICATE

P26229364

Product	Switches for fixed installation
Variant	1
Model/Type Ref.	14001, Model RS16/6 I
Ratings.	16-10X 250V AC
Brandname / Trademark (if different from page 1)	
Principal Characteristics	flush type, pattern No.6, thermoplastic, screw terminals, with or without claw fixing, with or without pilot lamp, IP20, IP21 for ONE design, IP44 when single or double IP44 set is used, RS or PLUS or ONE design, all colours
Product	Switches for fixed installation
Variant	2
Model/Type Ref.	14001, Model H16/2 I
Ratings.	16-10X 250V AC
Brandname / Trademark (if different from page 1)	
Principal Characteristics	flush type, pattern No.2, thermoplastic, screwless terminals, with or without claw fixing, with or without pilot lamp, IP20, IP44 when single or double IP44 set is used, RS or PLUS design, all colours
Product	Switches for fixed installation
Variant	3
Model/Type Ref.	14001, Model H16/1+1+1 I
Ratings.	16-10X 250V AC
Brandname / Trademark (if different from page 1)	
Principal Characteristics	flush type, pattern No.1+1+1, thermoplastic, screwless terminals, with or without claw fixing, with or without pilot lamp, IP20, IP44 when single or double IP44 set is used, RS or PLUS design, all colours
Product	Switches for fixed installation
Variant	4
Model/Type Ref.	14001, Model H16/5 I
Ratings.	16-10X 250V AC
Brandname / Trademark (if different from page 1)	
Principal Characteristics	flush type, pattern No.5, thermoplastic, screwless terminals, with or without claw fixing, with or without pilot lamp, IP20, IP21 for ONE design, IP44 when single or double IP44 set is used, RS or PLUS or ONE design, all colours

Signature

Yasaman Vadoudi

Yasaman Vadoudi

Certification department

Date of Issue 2026-09-24

Nemko Group AS
Philip Pedersens vei 11
1366 Lysaker, Norway
TEL +47 22 96 03 30
info@nemko.com
ENTERPRISE NUMBER
NO974404532

Working for a more sustainable future
Please do not print

www.nemko.com

CERTIFICATE

P26229364

Product	Switches for fixed installation
Variant	5
Model/Type Ref.	14001, Model H16/6 I
Ratings.	16-10X 250V AC
Brandname / Trademark (if different from page 1)	
Principal Characteristics	flush type, pattern No.6, thermoplastic, screwless terminals, with or without claw fixing, with or without pilot lamp, IP20, IP21 for ONE design, IP44 when single or double IP44 set is used, RS or PLUS or ONE design, all colours
Product	Switches for fixed installation
Variant	6
Model/Type Ref.	14001, Model H16/6.2 I
Ratings.	16-10X 250V AC
Brandname / Trademark (if different from page 1)	
Principal Characteristics	flush type, pattern No.6.2, thermoplastic, screwless terminals, with or without claw fixing, with or without pilot lamp, IP20, IP44 when single or double IP44 set is used, RS or PLUS design, all colours
Product	Switches for fixed installation
Variant	7
Model/Type Ref.	14001, Model H16/6+6 I
Ratings.	16-10X 250V AC
Brandname / Trademark (if different from page 1)	
Principal Characteristics	flush type, pattern No.6+6, thermoplastic, screwless terminals, with or without claw fixing, with or without pilot lamp, IP20, IP44 when single or double IP44 set is used, RS or PLUS design, all colours
Product	Switches for fixed installation
Variant	8
Model/Type Ref.	14001, Model H16/7 I
Ratings.	16-10X 250V AC
Brandname / Trademark (if different from page 1)	
Principal Characteristics	flush type, pattern No.7, thermoplastic, screwless terminals, with or without claw fixing, with or without pilot lamp, IP20, IP44 when single or double IP44 set is used, RS or PLUS design, all colours

Signature

Yasaman Vadoudi

Yasaman Vadoudi

Certification department

Date of Issue

2026-09-24

Nemko Group AS
Philip Pedersens vei 11
1366 Lysaker, Norway
TEL +47 22 96 03 30
info@nemko.com
ENTERPRISE NUMBER
NO974404532

Working for a more sustainable future
Please do not print

www.nemko.com

CERTIFICATE

P26229364

Product	Switches for fixed installation
Variant	9
Model/Type Ref.	14001, Model RS16/6NK I
Ratings.	16-10X 250V AC
Brandname / Trademark (if different from page 1)	
Principal Characteristics	flush type, pattern No.6, thermoplastic, screw terminals, with or without claw fixing, with or without pilot lamp, IP20, IP44 when single or double IP44 set is used, RS or PLUS design, all colours

Product	Switches for fixed installation
Variant	10
Model/Type Ref.	14001, Model RS16/2NK I
Ratings.	16-10X 250V AC
Brandname / Trademark (if different from page 1)	
Principal Characteristics	flush type, pattern No2, thermoplastic, screw terminals, with or without claw fixing, with or without pilot lamp, IP20, IP44 when single or double IP44 set is used, RS or PLUS design, all colours

Product	Switches for fixed installation
Variant	11
Model/Type Ref.	14001, Model RS16/1 P
Ratings.	16-10X 250V AC
Brandname / Trademark (if different from page 1)	
Principal Characteristics	surface type, pattern No.1, thermoplastic, screw terminals, IP20, IP21 when screen type L3112 is used, RS design, all colours

Product	Switches for fixed installation
Variant	12
Model/Type Ref.	14001, Model RS16/5 I
Ratings.	16-10X 250V AC
Brandname / Trademark (if different from page 1)	
Principal Characteristics	flush type, pattern No.5, thermoplastic, screw terminals, with or without claw fixing, with or without pilot lamp, IP20, IP21 for ONE design, IP44 when single or double IP44 set is used, RS or PLUS or ONE design, all colours

Signature

Yasaman Vadoudi

Yasaman Vadoudi

Certification department

Date of Issue

2026-09-24

Nemko Group AS
Philip Pedersens vei 11
1366 Lysaker, Norway
TEL +47 22 96 03 30
info@nemko.com
ENTERPRISE NUMBER
NO974404532

Working for a more sustainable future
Please do not print

www.nemko.com

CERTIFICATE

P26229364

Product	Switches for fixed installation
Variant	13
Model/Type Ref.	14001, Model RS16/2 P
Ratings.	16-10X 250V AC
Brandname / Trademark (if different from page 1)	
Principal Characteristics	surface type, pattern No.2, thermoplastic, screw terminals, IP20, IP21 when screen type L3112 is used, RS design, all colours
Product	Switches for fixed installation
Variant	14
Model/Type Ref.	14001, Model RS16/1+1+1 P
Ratings.	16-10X 250V AC
Brandname / Trademark (if different from page 1)	
Principal Characteristics	surface type, pattern No.1+1+1, thermoplastic, screw terminals, IP20, IP21 when screen type L3112 is used, RS design, all colours
Product	Switches for fixed installation
Variant	15
Model/Type Ref.	14001, Model RS16/5 P
Ratings.	16-10X 250V AC
Brandname / Trademark (if different from page 1)	
Principal Characteristics	surface type, pattern No.5, thermoplastic, screw terminals, IP20, IP21 when screen type L3112 is used, RS design, all colours
Product	Switches for fixed installation
Variant	16
Model/Type Ref.	14001, Model RS16/6 P
Ratings.	16-10X 250V AC
Brandname / Trademark (if different from page 1)	
Principal Characteristics	surface type, pattern No.6, thermoplastic, screw terminals, IP20, IP21 when screen type L3112 is used, RS design, all colours

Signature

Yasaman Vadoudi

Yasaman Vadoudi

Certification department

Date of Issue

2026-09-24

Nemko Group AS
Philip Pedersens vei 11
1366 Lysaker, Norway
TEL +47 22 96 03 30
info@nemko.com
ENTERPRISE NUMBER
NO974404532

Working for a more sustainable future
Please do not print

www.nemko.com

CERTIFICATE

P26229364

Product	Switches for fixed installation
Variant	17
Model/Type Ref.	14001, Model RS16/6.2 P
Ratings.	16-10X 250V AC
Brandname / Trademark (if different from page 1)	
Principal Characteristics	surface type, pattern No.6.2, thermoplastic, screw terminals, IP20, IP21 when screen type L3112 is used, RS design, all colours
Product	Switches for fixed installation
Variant	18
Model/Type Ref.	14001, Model RS16/6+6 P
Ratings.	16-10X 250V AC
Brandname / Trademark (if different from page 1)	
Principal Characteristics	surface type, pattern No.6+6, thermoplastic, screw terminals, IP20, IP21 when screen type L3112 is used, RS design, all colours
Product	Switches for fixed installation
Variant	19
Model/Type Ref.	14001, Model RS16/7 P
Ratings.	16-10X 250V AC
Brandname / Trademark (if different from page 1)	
Principal Characteristics	surface type, pattern No.7, thermoplastic, screw terminals, IP20, IP21 when screen type L3112 is used, RS design, all colours
Product	Switches for fixed installation
Variant	20
Model/Type Ref.	14001, Model RS16/2av/på P
Ratings.	16-10X 250V AC
Brandname / Trademark (if different from page 1)	
Principal Characteristics	surface type, pattern No.2, thermoplastic, screw terminals, IP20, IP21 when screen type L3112 is used, RS design, all colours

Signature

Yasaman Vadoudi

Yasaman Vadoudi

Certification department

Date of Issue

2026-09-24

Working for a more sustainable future
Please do not print

Nemko Group AS
Philip Pedersens vei 11
1366 Lysaker, Norway
TEL +47 22 96 03 30
info@nemko.com
ENTERPRISE NUMBER
NO974404532

www.nemko.com

CERTIFICATE

P26229364

Product	Switches for fixed installation
Variant	21
Model/Type Ref.	14001, Model RS16/2M P
Ratings.	16-10X 250V AC
Brandname / Trademark (if different from page 1)	
Principal Characteristics	surface type, pattern No.2M, thermoplastic, screw terminals, IP20, IP21 when screen type L3112 is used, RS design, all colours
Product	Switches for fixed installation
Variant	22
Model/Type Ref.	14001, Model H16/1 P
Ratings.	16-10X 250V AC
Brandname / Trademark (if different from page 1)	
Principal Characteristics	surface type, pattern No.1, thermoplastic, screwless terminals, IP20, IP21 when screen type L3112 is used, RS design, all colours
Product	Switches for fixed installation
Variant	23
Model/Type Ref.	14001, Model H16/2 P
Ratings.	16-10X 250V AC
Brandname / Trademark (if different from page 1)	
Principal Characteristics	surface type, pattern No.2, thermoplastic, screwless terminals, IP20, IP21 when screen type L3112 is used, RS design, all colours
Product	Switches for fixed installation
Variant	24
Model/Type Ref.	14001, Model H16/1+1+1 P
Ratings.	16-10X 250V AC
Brandname / Trademark (if different from page 1)	
Principal Characteristics	surface type, pattern No.1+1+1, thermoplastic, screwless terminals, IP20, IP21 when screen type L3112 is used, RS design, all colours

Signature

Yasaman Vadoudi

Yasaman Vadoudi

Certification department

Date of Issue

2026-09-24

Nemko Group AS
Philip Pedersens vei 11
1366 Lysaker, Norway
TEL +47 22 96 03 30
info@nemko.com
ENTERPRISE NUMBER
NO974404532

Working for a more sustainable future
Please do not print

www.nemko.com

CERTIFICATE

P26229364

Product	Switches for fixed installation
Variant	25
Model/Type Ref.	14001, Model H16/5 P
Ratings.	16-10X 250V AC
Brandname / Trademark (if different from page 1)	
Principal Characteristics	surface type, pattern No.5, thermoplastic, screwless terminals, IP20, IP21 when screen type L3112 is used, RS design, all colours
Product	Switches for fixed installation
Variant	26
Model/Type Ref.	14001, Model H16/6 P
Ratings.	16-10X 250V AC
Brandname / Trademark (if different from page 1)	
Principal Characteristics	surface type, pattern No.6, thermoplastic, screwless terminals, IP20, IP21 when screen type L3112 is used, RS design, all colours
Product	Switches for fixed installation
Variant	27
Model/Type Ref.	14001, Model H16/6+6 P
Ratings.	16-10X 250V AC
Brandname / Trademark (if different from page 1)	
Principal Characteristics	surface type, pattern No.6+6, thermoplastic, screwless terminals, IP20, IP21 when screen type L3112 is used, RS design, all colours
Product	Switches for fixed installation
Variant	28
Model/Type Ref.	14001, Model H16/7 P
Ratings.	16-10X 250V AC
Brandname / Trademark (if different from page 1)	
Principal Characteristics	surface type, pattern No.7, thermoplastic, screwless terminals, IP20, IP21 when screen type L3112 is used, RS design, all colours

Signature

Yasaman Vadoudi

Certification department

Date of Issue

2026-09-24

Nemko Group AS
Philip Pedersens vei 11
1366 Lysaker, Norway
TEL +47 22 96 03 30
info@nemko.com
ENTERPRISE NUMBER
NO974404532

Working for a more sustainable future
Please do not print

www.nemko.com

CERTIFICATE

P26229364

NORWEGIAN ACCREDITATION PROD 001

Product	Switches for fixed installation
Variant	29
Model/Type Ref.	14001, Model S16/1impr VP
Ratings.	16-10X 250V AC
Brandname / Trademark (if different from page 1)	
Principal Characteristics	surface type, pattern No.1, thermoplastic, screw terminals, IP55, all colours, with or without pilot lamp, for cold environment -25°C
Product	Switches for fixed installation
Variant	30
Model/Type Ref.	14001, Model S16/2 VP
Ratings.	16-10X 250V AC
Brandname / Trademark (if different from page 1)	
Principal Characteristics	surface type, pattern No.2, thermoplastic, screw terminals, IP55, all colours, with or without pilot lamp, for cold environment -25°C
Product	Switches for fixed installation
Variant	31
Model/Type Ref.	14001, Model S16/2impr VP
Ratings.	16-10X 250V AC
Brandname / Trademark (if different from page 1)	
Principal Characteristics	surface type, pattern No.2, thermoplastic, screw terminals, IP55, all colours, for cold environment -25°C
Product	Switches for fixed installation
Variant	32
Model/Type Ref.	14001, Model S16/5 VP
Ratings.	16-10X 250V AC
Brandname / Trademark (if different from page 1)	
Principal Characteristics	surface type, pattern No.5, thermoplastic, screw terminals, IP55, all colours, for cold environment -25°C

Signature

Yasaman Vadoudi

Yasaman Vadoudi

Certification department

Date of Issue 2026-09-24

Nemko Group AS
Philip Pedersens vei 11
1366 Lysaker, Norway
TEL +47 22 96 03 30
info@nemko.com
ENTERPRISE NUMBER
NO974404532

Working for a more sustainable future
Please do not print

www.nemko.com

CERTIFICATE

P26229364

Product	Switches for fixed installation
Variant	33
Model/Type Ref.	14001, Model S16/6 VP
Ratings.	16-10X 250V AC
Brandname / Trademark (if different from page 1)	
Principal Characteristics	surface type, pattern No.6, thermoplastic, screw terminals, IP55, all colours, with or without pilot lamp, for cold environment -25°C
Product	Switches for fixed installation
Variant	34
Model/Type Ref.	14001, Model S16/6.2 VP
Ratings.	16-10X 250V AC
Brandname / Trademark (if different from page 1)	
Principal Characteristics	surface type, pattern No.6.2, thermoplastic, screw terminals, IP55, all colours, for cold environment -25°C
Product	Switches for fixed installation
Variant	35
Model/Type Ref.	14001, Model S16/6+6 VP
Ratings.	16-10X 250V AC
Brandname / Trademark (if different from page 1)	
Principal Characteristics	surface type, pattern No.6+6, thermoplastic, screw terminals, IP55, all colours, for cold environment -25°C
Product	Switches for fixed installation
Variant	36
Model/Type Ref.	14001, Model S16/7 VP
Ratings.	16-10X 250V AC
Brandname / Trademark (if different from page 1)	
Principal Characteristics	surface type, pattern No.7, thermoplastic, screw terminals, IP55, all colours, for cold environment -25°C

Signature

Yasaman Vadoudi

Certification department

Date of Issue

2026-09-24

Nemko Group AS
Philip Pedersens vei 11
1366 Lysaker, Norway
TEL +47 22 96 03 30
info@nemko.com
ENTERPRISE NUMBER
NO974404532

Working for a more sustainable future
Please do not print

CERTIFICATE

P26229364

Product	Switches for fixed installation
Variant	37
Model/Type Ref.	14001, Model RS16/1impr I
Ratings.	16-10X 250V AC
Brandname / Trademark (if different from page 1)	
Principal Characteristics	flush type, pattern No.1, thermoplastic, screw terminals, with or without claw fixing, with or without pilot lamp, IP20, IP44 when single or double IP44 set is used, RS or PLUS design, all colours

Product	Switches for fixed installation
Variant	38
Model/Type Ref.	14001, Model RS16/2 I
Ratings.	16-10X 250V AC
Brandname / Trademark (if different from page 1)	
Principal Characteristics	flush type, pattern No.2, thermoplastic, screw terminals, with or without claw fixing, with or without pilot lamp, IP20, IP21 for ONE design, IP44 when single or double IP44 set is used, RS or PLUS or ONE design, all colours

Product	Switches for fixed installation
Variant	39
Model/Type Ref.	14001, Model RS16/6+6 I
Ratings.	16-10X 250V AC
Brandname / Trademark (if different from page 1)	
Principal Characteristics	flush type, pattern No.6+6, thermoplastic, screw terminals, with or without claw fixing, with or without pilot lamp, IP20, IP21 for ONE design, IP44 when single or double IP44 set is used, RS or PLUS or ONE design, all colours

Product	Switches for fixed installation
Variant	40
Model/Type Ref.	14001, Model RS16/1+1+1 I
Ratings.	16-10X 250V AC
Brandname / Trademark (if different from page 1)	
Principal Characteristics	flush type, pattern No.1+1+1, thermoplastic, screw terminals, with or without claw fixing, with or without pilot lamp, IP20, IP44 when single or double IP44 set is used, RS or PLUS design, all colours

Signature

Yasaman Vadoudi

Yasaman Vadoudi

Certification department

Date of Issue

2026-09-24

Nemko Group AS
Philip Pedersens vei 11
1366 Lysaker, Norway
TEL +47 22 96 03 30
info@nemko.com
ENTERPRISE NUMBER
NO974404532

Working for a more sustainable future
Please do not print

www.nemko.com

CERTIFICATE

P26229364

Product	Switches for fixed installation
Variant	41
Model/Type Ref.	14001, Model RS16/7 I
Ratings.	16-10X 250V AC
Brandname / Trademark (if different from page 1)	
Principal Characteristics	flush type, pattern No.7, thermoplastic, screw terminals, with or without claw fixing, with or without pilot lamp, IP20, IP21 for ONE design, IP44 when single or double IP44 set is used, RS or PLUS or ONE design, all colours
Product	Switches for fixed installation
Variant	42
Model/Type Ref.	14001, Model RS16/2av/på I
Ratings.	16-10X 250V AC
Brandname / Trademark (if different from page 1)	
Principal Characteristics	flush type, pattern No.2, thermoplastic, screw terminals, with or without claw fixing, with or without pilot lamp, IP20, IP44 when single or double IP44 set is used, RS or PLUS design, all colours
Product	Switches for fixed installation
Variant	43
Model/Type Ref.	14001, Model RS16/2M I
Ratings.	16-10X 250V AC
Brandname / Trademark (if different from page 1)	
Principal Characteristics	flush type, pattern No.2M, thermoplastic, screw terminals, with or without claw fixing, with or without pilot lamp, IP20, IP21 for ONE design, IP44 when single or double IP44 set is used, RS or PLUS or ONE design, all colours
Product	Switches for fixed installation
Variant	44
Model/Type Ref.	14001, Model H16/1 I
Ratings.	16-10X 250V AC
Brandname / Trademark (if different from page 1)	
Principal Characteristics	flush type, pattern No.1, thermoplastic, screwless terminals, with or without claw fixing, with or without pilot lamp, IP20, IP44 when single or double IP44 set is used, RS or PLUS design, all colours

Signature

Yasaman Vadoudi

Yasaman Vadoudi

Certification department

Date of Issue

2026-09-24

Nemko Group AS
Philip Pedersens vei 11
1366 Lysaker, Norway
TEL +47 22 96 03 30
info@nemko.com
ENTERPRISE NUMBER
NO974404532

Working for a more sustainable future
Please do not print

www.nemko.com

CERTIFICATE

P26229364

Product	Switches for fixed installation
Variant	45
Model/Type Ref.	14002, Model RS16/2-1 I
Ratings.	10X 250V AC
Brandname / Trademark (if different from page 1)	
Principal Characteristics	flush type, pattern No.2+1, thermoplastic, IP20, IP21 for ONE design, IP44 when single or double IP44 set is used, screw terminals, with or without claw fixing, RS or Plus or ONE design, all colours.
Product	Switches for fixed installation
Variant	46
Model/Type Ref.	14002, Model H16/2-1 I
Ratings.	10X 250V AC
Brandname / Trademark (if different from page 1)	
Principal Characteristics	flush type, pattern No.2+1, thermoplastic, IP20, IP44 when single or double IP44 set is used, screwless terminals, with or without claw fixing, RS or Plus design, all colours
Product	Switches for fixed installation
Variant	47
Model/Type Ref.	14002, Model RS16/2-1 P
Ratings.	10X 250V AC
Brandname / Trademark (if different from page 1)	
Principal Characteristics	surface type, pattern No.2+1, thermoplastic, IP20, IP21 when screen type L3112 is used, screw terminals, RS design, all colours.
Product	Switches for fixed installation
Variant	48
Model/Type Ref.	14002, Model RS16/1/2/6NK I
Ratings.	10X 250V AC
Brandname / Trademark (if different from page 1)	
Principal Characteristics	flush type, pattern No.1/2/6 with frame and key card operation, thermoplastic, IP20,IP21 for ONE design, RS or Plus or ELKO ONE design, with PCB for light, all colours

Nemko Group AS
Philip Pedersens vei 11
1366 Lysaker, Norway
TEL +47 22 96 03 30
info@nemko.com
ENTERPRISE NUMBER
NO974404532

Signature

Yasaman Vadoudi

Certification department

Date of Issue

2026-09-24

Working for a more sustainable future
Please do not print

www.nemko.com

CERTIFICATE

P26229364

Product	Switches for fixed installation
Variant	49
Model/Type Ref.	14003, Model RS16/3 I
Ratings.	10X 400V AC
Brandname / Trademark (if different from page 1)	
Principal Characteristics	flush type, pattern No. 3, thermoplastic, screw terminals, with or without claw fixing, with or without pilot lamp, IP20, IP44 when single or double IP44 set is used, RS design, all colours
Product	Switches for fixed installation
Variant	50
Model/Type Ref.	14003, Model RS16/3 P
Ratings.	10X 400V AC
Brandname / Trademark (if different from page 1)	
Principal Characteristics	surface type, pattern No. 3, thermoplastic, with or without pilot lamp, IP20, IP21 when screen type L3112 is used, screw terminals, RS design, all colours
Product	Switches for fixed installation
Variant	51
Model/Type Ref.	14001, Model RS16/1impr P
Ratings.	16-10X 250V AC
Brandname / Trademark (if different from page 1)	
Principal Characteristics	Surface type, pattern No. 1, with impulse spring, thermoplastic, screw terminals, with pilot lamp, IP20, IP21 when screen type L3112 is used, RS design, all colours
Product	Switches for fixed installation
Variant	52
Model/Type Ref.	14001, Model H16/6impr I
Ratings.	16-10X 250V AC
Brandname / Trademark (if different from page 1)	
Principal Characteristics	Flush type, pattern No.6, with impulse spring, thermoplastic, screwless terminals, with or without claw fixing, with or without pilot lamp, IP20, IP44 when single or double IP44 set is used, RS or PLUS design, all colours

Signature

Yasaman Vadoudi

Certification department

Date of Issue 2026-09-24

Nemko Group AS
Philip Pedersens vei 11
1366 Lysaker, Norway
TEL +47 22 96 03 30
info@nemko.com
ENTERPRISE NUMBER
NO974404532

Working for a more sustainable future
Please do not print

www.nemko.com

CERTIFICATE

P26229364

Product	Switches for fixed installation
Variant	53
Model/Type Ref.	14001, Model RS16/6impr I
Ratings.	16-10X 250V AC
Brandname / Trademark (if different from page 1)	
Principal Characteristics	Flush type, pattern No. 6, with impulse spring, thermoplastic, screw terminals, IP20, IP21 when screen type L3112 is used, RS design, all colours
Product	Switches for fixed installation
Variant	54
Model/Type Ref.	14001, Model RS16/6impr P
Ratings.	16-10X 250V AC
Brandname / Trademark (if different from page 1)	
Principal Characteristics	Surface type, pattern No. 6, with impulse spring, thermoplastic, screw terminals, IP20, IP21 when screen type L3112 is used, RS design, all colours
Product	Switches for fixed installation
Variant	55
Model/Type Ref.	14001, Model H16/6+6impr I
Ratings.	16-10X 250V AC
Brandname / Trademark (if different from page 1)	
Principal Characteristics	Flush type, pattern No. 6+6, with impulse springs, thermoplastic, screwless terminals, with or without claw fixing, with or without pilot lamp, IP20, IP44 when single or double IP44 set is used, RS or PLUS design, all colours
Product	Switches for fixed installation
Variant	56
Model/Type Ref.	14001, Model AS16/2 VP
Ratings.	16-10X 250V AC
Brandname / Trademark (if different from page 1)	
Principal Characteristics	Surface type, pattern No. 2, thermoplastic, screw terminals, IP44, Admiral design, all colours, for cold environment -25°C

Signature

Yasaman Vadoudi

Yasaman Vadoudi

Certification department

Date of Issue

2026-09-24

Nemko Group AS
Philip Pedersens vei 11
1366 Lysaker, Norway
TEL +47 22 96 03 30
info@nemko.com
ENTERPRISE NUMBER
NO974404532

Working for a more sustainable future
Please do not print

www.nemko.com

CERTIFICATE

P26229364

NORWEGIAN ACCREDITATION PROD 001

Product	Switches for fixed installation
Variant	57
Model/Type Ref.	14001, Model AS16/5 VP
Ratings.	16-10X 250V AC
Brandname / Trademark (if different from page 1)	
Principal Characteristics	Surface type, pattern No. 5, thermoplastic, screw terminals, IP44, Admiral design, all colours, for cold environment -25°C
Product	Switches for fixed installation
Variant	58
Model/Type Ref.	14001, Model AS16/6 VP
Ratings.	16-10X 250V AC
Brandname / Trademark (if different from page 1)	
Principal Characteristics	Surface type, pattern No. 6, thermoplastic, screw terminals, IP44, Admiral design, all colours, for cold environment -25°C
Product	Switches for fixed installation
Variant	59
Model/Type Ref.	14001, Model S16/1 VP
Ratings.	16-10X 250V AC
Brandname / Trademark (if different from page 1)	
Principal Characteristics	surface type, pattern No.1, thermoplastic, screw terminals, IP55, all colours, with or without pilot lamp, for cold environment -25°C
Product	Switches for fixed installation
Variant	60
Model/Type Ref.	14001, Model RS16/6.2 I
Ratings.	16-10X 250V AC
Brandname / Trademark (if different from page 1)	
Principal Characteristics	flush type, pattern No.6.2, thermoplastic, screw terminals, with or without claw fixing, with or without pilot lamp, IP20, IP44 when single or double IP44 set is used, RS or PLUS design, all colours

Nemko Group AS
Philip Pedersens vei 11
1366 Lysaker, Norway
TEL +47 22 96 03 30
info@nemko.com
ENTERPRISE NUMBER
NO974404532

Signature

Yasaman Vadoudi

Yasaman Vadoudi

Certification department

Date of Issue

2026-09-24

Working for a more sustainable future
Please do not print

www.nemko.com

CERTIFICATE

P26229364

NORWEGIAN ACCREDITATION PROD 001

Factories

Merten GmbH
Fritz-Kotz-Strasse 8
51674 Wiehl
Germany

AS M ja P Nurst
Ümarmäe 3 Kärdla
Hiiumaa 92414
Estonia

Signature

Yasaman Vadoudi

Yasaman Vadoudi

Certification department

Date of Issue

2026-09-24

Working for a more sustainable future
Please do not print

Nemko Group AS
Philip Pedersens vei 11
1366 Lysaker, Norway
TEL +47 22 96 03 30
info@nemko.com
ENTERPRISE NUMBER
NO974404532

www.nemko.com